L Number	Hits		DB	Time stamp
1	23949	hash\$3	USPAT;	2003/03/06 13:31
			US-PGPUB;	
			EPO; JPO;	1
	į		DERWENT;	
2	222	hash62 and (authorat62 with decompat)	IBM_TDB USPAT:	2003/03/06 13:32
2	322	hash\$3 and (extract\$3 with document)	US-PGPUB;	2003/03/06 13:32
			EPO; JPO;	1
			DERWENT;	
			IBM TDB	
3	74	(hash\$3 and (extract\$3 with document))	USPAT;	2003/03/06 13:33
3	, ,	and fingerprint	US-PGPUB;	2003/03/00 13:33
		dia lingcipiine	EPO; JPO;	
			DERWENT;	
			IBM TDB	
4	57	((hash\$3 and (extract\$3 with document))	USPAT;	2003/03/06 13:33
		and fingerprint) and (identifi\$ with	US-PGPUB;	
		document)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	25	(((hash\$3 and (extract\$3 with document))	USPAT;	2003/03/06 13:34
		and fingerprint) and (identifi\$ with	US-PGPUB;	
		document)) and "hash value"	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1503	(duplicate or near-duplicates) with files	USPĀT;	2003/03/04 11:17
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	12	((duplicate or near-duplicates) with files	USPAT;	2003/03/04 17:18
) and (generat\$3 with fingerprints)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	10		IBM_TDB	0000 (00 (0) 17 00
_	12	(((USPAT;	2003/03/04 17:28
		files) and (generat\$3 with fingerprints))	US-PGPUB;	
		and fingerprint	EPO; JPO;	
			DERWENT; IBM TDB	
_	11	((((duplicate or near-duplicates) with	USPAT;	2003/03/04 17:55
	11	files) and (generat\$3 with fingerprints))	US-PGPUB;	2003/03/04 17.33
		and fingerprint) and hash\$3	EPO; JPO;	
		and lingelpline, and habitys	DERWENT;	
			IBM TDB	
_	48	((duplicate or near-duplicates) with files	USPAT;	2003/03/04 18:11
) and fingerprint	US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2282	(generat\$3 or creat\$3) with fingerprints	USPAT;	2003/03/04 18:15
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	495	((generat\$3 or creat\$3) with fingerprints)	USPAT;	2003/03/04 18:18
		and documents	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	(((generat\$3 or creat\$3) with	USPAT;	2003/03/04 18:18
		fingerprints) and documents) and ("near	US-PGPUB;	
		duplicates" or "near-duplicates")	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/00
	116	(((generat\$3 or creat\$3) with	USPAT;	2003/03/04 18:19
		fingerprints) and documents) and	US-PGPUB;	
		duplicates	EPO; JPO;	
	1		DERWENT;	
			IBM TDB	



_	419	fingerprints with document	USPAT; US-PGPUB;	2003/03/04 19:25
			EPO; JPO; DERWENT;	
_	2	(fingerprints with document) and	IBM_TDB USPAT;	2003/03/04 19:15
-		"duplicate documents"	US-PGPUB;	2003,03,04 13.13
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	' ' '	USPĀT;	2003/03/04 19:26
		fingerprints) and documents) and duplicates) and ((fingerprints with	US-PGPUB; EPO; JPO;	
•		document) and "duplicate documents")	DERWENT;	
	28	////gapayate2 an appate2) with	IBM_TDB USPAT;	2003/03/04 19:26
-	20	((((generat\$3 or creat\$3) with fingerprints) and documents) and	US-PGPUB;	2003/03/04 19.20
		duplicates) and (fingerprints with	EPO; JPO;	
		document)	DERWENT; IBM TDB	
-	20	(((,))	USPAT;	2003/03/04 19:34
		fingerprints) and documents) and duplicates) and (fingerprints with	US-PGPUB; EPO; JPO;	
		document)) and hash\$3	DERWENT;	
	070505	,	IBM_TDB	2002/02/04 10 24
-	272685	documents	USPAT; US-PGPUB;	2003/03/04 19:34
į			EPO; JPO;	
			DERWENT; IBM TDB	
-	44726	documents and extract\$3	USPĀT;	2003/03/04 19:34
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000/00/04 10 05
_	144	(documents and extract\$3) and hash\$3 with extract\$3	USPAT; US-PGPUB;	2003/03/04 19:35
			EPO; JPO;	
			DERWENT; IBM TDB	
-	95	((documents and extract\$3) and hash\$3 with	USPAT;	2003/03/04 19:42
		extract\$3) and lists	US-PGPUB; EPO; JPO;	
			DERWENT;	
		(((documents and extract\$3) and hash\$3	IBM_TDB USPAT;	2003/03/04 19:37
_	2	with extract\$3) and lists) and	US-PGPUB;	2003/03/04 19:37
		(fingerprints with document)	EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(((documents and extract\$3) and hash\$3	USPĀT;	2003/03/04 19:41
		<pre>with extract\$3) and lists) and ((((generat\$3 or creat\$3) with</pre>	US-PGPUB; EPO; JPO;	
		fingerprints) and documents) and	DERWENT;	
_	2	<pre>duplicates) ((((documents and extract\$3) and hash\$3</pre>	IBM_TDB USPAT;	2003/03/04 19:42
	2	with extract\$3) and lists) and	US-PGPUB;	2003/03/04 19.42
		((((generat\$3 or creat\$3) with	EPO; JPO;	
		fingerprints) and documents) and duplicates)) and fingerprint	DERWENT; IBM TDB	
_	17	(((documents and extract\$3) and hash\$3	USPAT;	2003/03/04 19:43
		with extract\$3) and lists) and fingerprints	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	0	detecting adj duplicate adj near-duplicate	IBM_TDB USPAT;	2003/03/04 20:46
		adj files	US-PGPUB;	2003/03/04 20.40
			EPO; JPO;	
			DERWENT; IBM TDB	
				



_	171	detecting adj duplicate	USPAT;	2003/03/04 2	20:53
			US-PGPUB; EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	1		USPAT;	2003/03/04 2	20:47
		documents)) and fingerprints	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
_	7	 detecting adj duplicate adj (files or	IBM_TDB USPAT;	2003/03/04 2	20-48
	,	detecting adj duplicate adj (liles of documents)	US-PGPUB;	2003/03/04 2	20.10
1			EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	37	,	USPAT;	2003/03/04 2	20:53
		fingerprints	US-PGPUB; EPO; JPO;		
			DERWENT;		
			IBM TDB		
_	37		USPAT;	2003/03/04 2	20:55
		fingerprints) and (documents or objects or	US-PGPUB;		
	1	files)	EPO; JPO;		
	1		DERWENT; IBM TDB		
_	37	(((detecting adj duplicate) and	USPAT;	2003/03/04 2	20:55
]	fingerprints) and (documents or objects or	US-PGPUB;		
		files)) and duplicat\$3	EPO; JPO;		
			DERWENT;		
	24		IBM_TDB	2003/03/04 2	20.56
_	34	((((detecting adj duplicate) and fingerprints) and (documents or objects or	USPAT; US-PGPUB;	2003/03/04 2	20:56
		files)) and duplicat\$3) and extract\$3 and	EPO; JPO;		
		hash\$3	DERWENT;		
			IBM_TDB		
-	34		USPAT;	2003/03/04 2	20:57
		fingerprints) and (documents or objects or	US-PGPUB; EPO; JPO;		
	· ·	files)) and duplicat\$3) and extract\$3 and hash\$3) and match\$3	DERWENT;		
		naonyo, ana maconyo	IBM TDB		
-	2	("6,119,124").PN.	USPĀT;	2003/03/05 1	15:56
			US-PGPUB;		
			EPO; JPO;		
			DERWENT; IBM TDB		
-	2	(("6,119,124").PN.) and documents and	USPAT;	2003/03/05 1	15:56
	_	objects	US-PGPUB;		
	-		EPO; JPO;		
1			DERWENT;		
_	1	((("6,119,124").PN.) and documents and	IBM_TDB USPAT;	 2003/03/05 1	15.57
		objects) and fingerprints and features	US-PGPUB;	2003,03,03	/
			EPO; JPO;		
[DERWENT;		
			IBM_TDB	0000 (00 (05 -	,
_	1		USPAT; US-PGPUB;	2003/03/05 1	15:5/
		objects) and fingerprints and features) and tokens	EPO; JPO;		
			DERWENT;		
			IBM_TDB		
-	1		USPAT;	2003/03/05 1	15:57
		objects) and fingerprints and features)	US-PGPUB;		
		and tokens) and compare	EPO; JPO; DERWENT;		
			IBM TDB		
-	1	(((((("6,119,124").PN.) and documents and	USPAT;	2003/03/05 1	15:57
		objects) and fingerprints and features)	US-PGPUB;		
		and tokens) and compare) and resemblance	EPO; JPO;		
1			DERWENT; IBM TDB		
L		<u> </u>	מעו ואם ד		





-	1	(((((("6,119,124").PN.) and documents	USPAT;	2003/03/05 15:58
	İ	and objects) and fingerprints and	US-PGPUB;	
		features) and tokens) and compare) and	EPO; JPO;	
		resemblance) and cluster	DERWENT;	
	ł		IBM_TDB	
-	1	(((((((("6,119,124").PN.) and documents	USPAT;	2003/03/05 15:58
		and objects) and fingerprints and	US-PGPUB;	
		features) and tokens) and compare) and	EPO; JPO;	
	1	resemblance) and cluster) and identif\$	DERWENT;	
			IBM TDB	
_	1	((((((((("6,119,124").PN.) and documents	USPAT;	2003/03/05 15:58
	_	and objects) and fingerprints and	US-PGPUB;	
	İ	features) and tokens) and compare) and	EPO; JPO;	
		resemblance) and cluster) and identif\$)	DERWENT;	
		and duplicate	IBM TDB	
_	1	1	USPAT;	2003/03/05 15:58
-	1		US-PGPUB;	2003/03/03 13.38
		and objects) and fingerprints and	1	
		features) and tokens) and compare) and	EPO; JPO;	
		resemblance) and cluster) and identif\$)	DERWENT;	
	2010	and duplicate) and unique	IBM_TDB	0000/00/05 10 00
-	3019	cluster with identifi\$	USPAT;	2003/03/05 19:09
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	96	(cluster with identifi\$) and fingerprints	USPAT;	2003/03/05 19:10
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	98	(cluster with identifi\$) and	USPAT;	2003/03/05 19:17
		((resemblance with data) or (nearly with	US-PGPUB;	
		identical) or (close with identical))	EPO; JPO;	
		Tuentical, of (close with facilities)	DERWENT;	
			IBM TDB	
_	7	((cluster with identifi\$) and	USPAT;	2003/03/05 19:16
	,	fingerprints) and ((cluster with identifi\$	US-PGPUB;	2003/03/03 13.10
) and ((resemblance with data) or (nearly	EPO; JPO;	
		with identical) or (close with identical	DERWENT;	
))))	IBM TDB	
	1			2002/02/05 10 17
-	1		USPAT;	2003/03/05 19:17
		with data) or (nearly with identical) or	US-PGPUB;	
		(close with identical))	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/00/05 50 55
-	7	"cluster identifier" and (fingerprints or	USPAT;	2003/03/05 19:20
		signatures)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	82	"cluster identifier"	USPAT;	2003/03/06 10:14
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	"cluster identifier" and (compar\$ with	USPAT;	2003/03/06 10:24
		identifier)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	5	"cluster identifier" and (results with	USPAT;	2003/03/06 10:25
		match\$3)	US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	L	<u> </u>	1 22.1 100	L